

# Children and COVID-19: State Data Report

A joint report from the American Academy of Pediatrics and the Children's Hospital Association


Summary of publicly reported data from 49 states, NYC, DC, PR, and GU

**Version: 12/3/20**

# COVID-19: Available Data for Children

- State-level reports are the best publicly available data on COVID-19 cases in children
- This report summarizes what was available on 12/3/20
- **49 states, NYC, DC, Puerto Rico and Guam** provided age distributions of reported COVID-19 cases
  - 10 states provided age distribution of testing
  - 24 states and NYC provided age distribution of hospitalizations
  - 43 states and NYC provided age distribution of deaths

**Fig 1A: States Reporting Age Distribution of COVID-19 Cases as of 12/3/20**



**Reporting age distribution of COVID-19 cases:**

- Yes: Reported age distribution of cases
- TX: Reported age distribution for only 5% of cases
- NY: Only NYC reported age distribution of cases
- MA: Only reported age distribution of cases added in past two weeks

See detail in Appendix: Data from 49 states, NYC, DC, PR, and GU  
Analysis by American Academy of Pediatrics and Children's Hospital Association  
All data reported by state/local health departments are preliminary and subject to change

# Children and COVID-19: Data Limitations


## General Limitations

- Format, content, and metrics of reported COVID-19 data differed substantially by state
- Definition of “child”: Age ranges reported for children varied by state (0-14, 0-17, 0-18, 0-19, and 0-20 years; see Fig 1B)
- Unknown: Number of children infected but not tested and confirmed

## State-Level Limitations

- NY: Did not provide age distribution for state-wide cases (NYC only)
- TX: Reported age distribution for only 5% of all cases and is excluded from some figures
- AL: As of 8/13, changed definition of child case from 0-24 to 0-17 years; as of 9/17, provided age distribution for confirmed cases only
- HI: As of 8/27, changed definition of child case from 0-19 to 0-17 years
- MA: As of 9/3: revised definition of probable case, leading to reduction in total case count; reported age distribution of cases added in last two weeks but not for total cases to date
- RI: As of 9/10, changed definition of child case from 0-19 to 0-18 years
- MO: As of 10/1, changed definition of child cases from 0-19 to 0-17 years

Fig 1B: Child Age Ranges of COVID-19 Cases Reported by States as of 12/3/20



See detail in Appendix: Data from 49 states, NYC, DC, PR, and GU; Analysis by American Academy of Pediatrics and Children's Hospital Association; All data reported by state/local health departments are preliminary and subject to change

# Children and COVID-19: 12/3/20

## Summary of State-Level Data Provided in this Report

Detail and links to state/local data sources provided in Appendix

### Cumulative Number of Child COVID-19 Cases\*

- 1,460,905 total child COVID-19 cases reported, and children represented 12.0% (1,460,905/12,167,620) of all cases
- Overall rate: 1,941 cases per 100,000 children in the population

### Change in Child COVID-19 Cases\*

- 123,688 new child COVID-19 cases were reported the past week from 11/26-12/3 (1,337,217 to 1,460,905)
- Over two weeks, 11/19-12/3, there was a 23% increase in child COVID-19 cases (277,296 new cases (1,183,609 to 1,460,905))

### Testing (10 states reported)\*

- Children made up between 6.0%-17.8% of total state tests, and between 4.8%-21.9% of children tested were tested positive

### Hospitalizations (24 states and NYC reported)\*

- Children were 1.1%-3.0% of total reported hospitalizations, and between 0.3%-4.9% of all child COVID-19 cases resulted in hospitalization

### Mortality (43 states and NYC reported)\*


- Children were 0.00%-0.23% of all COVID-19 deaths, and 15 states reported zero child deaths
- In states reporting, 0.00%-0.11% of all child COVID-19 cases resulted in death

*See detail in Appendix: Data from 49 states, NYC, DC, PR, and GU; Analysis by American Academy of Pediatrics and Children's Hospital Association*

*\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change*

# Fig 2. Cumulative Number of Child COVID-19 Cases: 12/3/20


- 1,460,905 total child COVID-19 cases (cumulative)
- Seventeen states reported 30,000+ child cases
- One state reported fewer than 1,000 child cases



See detail in Appendix: Data from 48 states, NYC, DC, PR, and GU (TX excluded from figure)  
All data reported by state/local health departments are preliminary and subject to change  
Analysis by American Academy of Pediatrics and Children's Hospital Association

# Fig 3. Percent of Cumulative COVID-19 Cases that were Children: 12/3/20


- Children represented 12.0% (1,460,905/12,167,620) of all available cases
- Twelve states reported 15% or more of cases were children
- NYC reported that only 5.4% of cases were children



See detail in Appendix: Data from 48 states, NYC, DC, PR, and GU (TX excluded from figure)  
All data reported by state/local health departments are preliminary and subject to change  
Analysis by American Academy of Pediatrics and Children's Hospital Association

## Fig 4. Cumulative COVID-19 Cases per 100,000 Children: 12/3/20

- Calculated using state-level population estimates from US Census Bureau (2019)\*
- Overall rate: 1,941 child COVID-19 cases per 100,000 children in the population
- Twelve states reported more than 3,000 cases per 100,000



See detail in Appendix: Data from 48 states, NYC, DC, PR, and GU (TX excluded from figure)

All data reported by state/local health departments are preliminary and subject to change

Analysis by American Academy of Pediatrics and Children's Hospital Association


\* Source: US Census Bureau, State Population by Characteristics: 2010-2019,

<https://www.census.gov/data/tables/time-series/demo/popest/2010s-state-detail.html>

# Fig 5. Cumulative Child COVID-19 Cases and Percent Increase in Child Cases


## A. Cumulative Child COVID-19 Cases, 12/3/20

17 states with 30,000+ cumulative child cases



## B. Percent Increase in Child Cases, 11/19/20-12/3/20

From 11/19-12/3, there were 277,296 new child cases reported (1,183,609 to 1,460,904); 23% increase)



See detail in Appendix: Data from 48 states, NYC, DC, and PR (TX excluded from figures);  
All data reported by state/local health departments are preliminary and subject to change; Analysis by American Academy of Pediatrics and Children's Hospital Association



## Appendix Table 1: Case Data Available on 12/3/20

Summary data across the 49 states, NYC, DC, PR, and GU that provided age distribution of reported COVID-19 cases\*

Child population, 2019	Cumulative total cases (all ages)	Cumulative child cases	Cumulative percent children of total cases	Cases per 100,000 children
75,266,842	12,167,620	1,460,905	12.0%	1941.0

## Appendix Table 2A: Summary of Child Case Data from 4/16 – 12/3\*

Date	Number of locations reporting age	Cumulative total cases (all ages)	Cumulative child cases^	Percent children of total cases	Cases per 100,000 children
12/3/20	49 states, NYC, DC, PR, and GU	12,167,620	1,460,905	12.0%	1941.0
11/26/20	49 states, NYC, DC, PR, and GU	11,184,900	1,337,217	12.0%	1776.6
11/19/20	49 states, NYC, DC, PR, and GU	10,060,749	1,183,609	11.8%	1572.6
11/12/20	49 states, NYC, DC, PR, and GU	9,037,991	1,039,464	11.5%	1381.0
11/5/20	49 states, NYC, DC, PR, and GU	8,236,710	927,518	11.3%	1232.3
10/29/20	49 states, NYC, DC, PR, and GU	7,669,038	853,635	11.1%	1134.1
10/22/20	49 states, NYC, DC, PR, and GU	7,207,186	792,188	11.0%	1052.5
10/15/20	49 states, NYC, DC, PR, and GU	6,837,527	741,891	10.9%	985.7
10/8/20	49 states, NYC, DC, PR, and GU	6,505,390	697,633	10.7%	926.9
10/1/20	49 states, NYC, DC, PR, and GU <sup>#</sup>	6,231,564	657,572	10.6%	873.7
9/24/20	49 states, NYC, DC, PR, and GU	5,965,268	624,890	10.5%	828.5
9/17/20	49 states, NYC, DC, PR, and GU	5,721,402	587,948	10.3%	779.5
9/10/20	49 states, NYC, DC, PR, and GU	5,493,006	549,432	10.0%	728.5
9/3/20	49 states, NYC, DC, PR, and GU	5,265,157	513,415	9.8%	680.3
8/27/20	49 states, NYC, DC, PR, and GU	5,018,113	476,439	9.5%	631.3
8/20/20	49 states, NYC, DC, PR, and GU	4,766,825	442,785	9.3%	583.2

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

^ Unknown: number of children infected but not tested and confirmed

# As of 10/1, MO changed definition of child case from 0-19 to 0-17 years, resulting in a downward revision of cumulative child cases

## Appendix Table 2A, cont.: Summary of Child Case Data from 4/16 – 12/3\*

Date	Number of locations reporting age	Cumulative total cases (all ages)	Cumulative child cases^	Percent children of total cases	Cases per 100,000 children
8/13/20	49 states, NYC, DC, PR, and GU#	4,486,830	406,109	9.1%	538.1
8/6/20	49 states, NYC, DC, PR, and GU	4,159,947	380,174	9.1%	500.7
7/30/20	49 states, NYC, DC, PR, and GU	3,835,573	338,982	8.8%	446.5
7/23/20	49 states, NYC, DC, PR, and GU	3,416,630	288,287	8.4%	379.7
7/16/20	49 states, NYC, DC, PR, and GU	3,042,413	241,904	8.0%	318.6
7/9/20	49 states, NYC, DC, PR, and GU	2,651,066	200,184	7.6%	263.7
7/2/20	49 states, NYC, DC, PR, and GU	2,335,060	165,845	7.1%	218.4
6/25/20	49 states, NYC, DC, PR, and GU	2,073,387	138,213	6.7%	182.0
6/18/20	49 states, NYC, DC, PR, and GU	1,885,905	116,176	6.2%	153.0
6/11/20	49 states, NYC, DC, PR, and GU	1,750,240	98,246	5.6%	129.4
6/4/20	49 states, NYC, DC, PR, and GU	1,623,334	84,016	5.2%	110.7
5/28/20	47 states, NYC, DC, PR, and GU	1,425,154	66,513	4.7%	91.5
5/21/20	47 states, NYC, DC, PR, and GU	1,288,305	54,031	4.2%	74.4
5/14/20	47 states, NYC, DC, PR, and GU	1,159,407	42,370	3.7%	58.3
5/7/20	46 states, NYC, DC, PR, and GU	1,010,112	32,568	3.2%	45.0
4/30/20	47 states, NYC, DC, and PR	849,615	23,096	2.7%	31.8
4/23/20	48 states, NYC, DC, PR, and GU	710,953	15,911	2.2%	21.2
4/16/20	46 states, NYC, and DC	456,923	9,259	2.0%	13.3

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

^ Unknown: number of children infected but not tested and confirmed

# As of 8/13, AL changed definition of child case from 0-24 to 0-17 years, resulting in a downward revision of cumulative child cases

## Appendix Table 2B: Summary of Child Hospitalization Data from 5/21 – 12/3\*

Date~	Number of locations reporting age distribution of hospitalizations	Cumulative total hospitalizations (all ages)	Cumulative child hospitalizations	Percent children of total hospitalizations	Hospitalization rate^
12/3/20	24 states and NYC	421,766	7,515	1.8%	1.4%
11/19/20	24 states and NYC	381,141	6,716	1.8%	1.5%
11/12/20	23 states and NYC	362,453	6,337	1.7%	1.6%
11/5/20	24 states and NYC	360,724	6,172	1.7%	1.7%
10/29/20	24 states and NYC	348,296	5,899	1.7%	1.8%
10/22/20	24 states and NYC	324,720	5,585	1.7%	1.8%
10/15/20	24 states and NYC	314,715	5,353	1.7%	1.9%
10/8/20	25 states and NYC#	307,135	5,211	1.7%	1.4%
10/1/20	25 states and NYC	302,896	5,340	1.8%	1.6%
9/24/20	25 states and NYC	294,901	5,164	1.8%	1.7%
9/17/20	25 states and NYC	288,345	5,016	1.7%	1.7%
9/10/20	24 states and NYC	270,034	4,677	1.7%	1.8%
9/3/20	23 states and NYC	257,300	4,321	1.7%	1.9%
8/27/20	22 states and NYC	243,056	4,163	1.7%	2.1%
8/20/20	21 states and NYC	234,810	4,062	1.7%	2.3%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change  
~ Data from the week ending 11/26 is not included

^ Hospitalization rate = number of child hospitalizations / number of child cases

# As of 10/8, AZ revised hospitalization data, resulting in a downward revision of cumulative child hospitalizations

## Appendix Table 2B, cont.: Summary of Child Hospitalization Data from 5/21 – 12/3\*

Date	Number of locations reporting age distribution of hospitalizations	Cumulative total hospitalizations (all ages)	Cumulative child hospitalizations	Percent children of total hospitalizations	Hospitalization rate^
8/13/20	21 states and NYC	225,893	3,849	1.7%	1.9%
8/6/20	20 states and NYC	206,189	3,276	1.6%	2.2%
7/30/20	20 states and NYC	195,106	2,669	1.4%	2.0%
7/23/20	20 states and NYC	181,345	2,304	1.3%	2.0%
7/16/20	20 states and NYC	172,787	2,074	1.2%	2.1%
7/9/20	20 states and NYC	164,158	1,948	1.2%	2.4%
7/2/20	20 states and NYC	156,640	1,780	1.1%	2.6%
6/25/20	20 states and NYC	151,583	1,663	1.1%	2.9%
6/18/20	19 states and NYC	140,215	1,433	1.0%	2.9%
6/11/20	19 states and NYC	134,600	1,322	1.0%	3.3%
6/4/20	19 states and NYC	128,779	1,231	1.0%	3.3%
5/28/20	16 states and NYC	114,678	1,054	0.9%	3.8%
5/21/20	17 states and NYC	105,665	891	0.8%	3.8%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

^ Hospitalization rate = number of child hospitalizations / number of child cases

## Appendix Table 2C: Summary of Child Mortality Data from 5/21 – 12/3\*

Date~	Number of locations reporting age distribution of deaths	Cumulative total deaths (all ages)	Cumulative child deaths	Percent children of total deaths	Percent of child cases resulting in death^
12/3/20	43 states and NYC	236,996	154	0.06%	0.01%
11/19/20	43 states and NYC	218,007	138	0.06%	0.01%
11/12/20	42 states and NYC	210,441	133	0.06%	0.01%
11/5/20	42 states and NYC	199,564	123	0.06%	0.01%
10/29/20	42 states and NYC	194,175	121	0.06%	0.01%
10/22/20	42 states and NYC	189,250	120	0.06%	0.02%
10/15/20	42 states and NYC	184,294	120	0.07%	0.02%
10/8/20	42 states and NYC	180,014	115	0.06%	0.02%
10/1/20	42 states and NYC	175,423	112	0.06%	0.02%
9/24/20	42 states and NYC	170,971	109	0.06%	0.02%
9/17/20	42 states and NYC	167,019	109	0.07%	0.02%
9/10/20	42 states and NYC	160,856	105	0.07%	0.01%
9/3/20	42 states and NYC	156,053	103	0.07%	0.02%
8/27/20	43 states and NYC#	152,884	101	0.07%	0.02%
8/20/20	45 states and NYC	154,279	92	0.06%	0.02%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

~ Data from the week ending 11/26 is not included

^ Number of child deaths / number of child cases

# As of 8/27, RI, MI, and SC not reporting age distributions of COVID-19 deaths (exact numbers not provided for <5 deaths); mortality data from those states excluded

## Appendix Table 2C, cont.: Summary of Child Mortality Data from 5/21 – 12/3\*

Date	Number of locations reporting age distribution of deaths	Cumulative total deaths (all ages)	Cumulative child deaths	Percent children of total deaths	Percent of child cases resulting in death <sup>^</sup>
8/13/20	45 states and NYC	147,356	90	0.06%	0.02%
8/6/20	44 states and NYC	139,685	90	0.06%	0.02%
7/30/20	44 states and NYC	133,267	86	0.06%	0.03%
7/23/20	44 states and NYC	121,539	76	0.06%	0.03%
7/16/20	43 states and NYC	119,265	66	0.06%	0.03%
7/9/20	42 states and NYC	112,289	62	0.06%	0.03%
7/2/20	42 states and NYC	108,513	58	0.05%	0.04%
6/25/20	42 states and NYC	104,683	57	0.05%	0.04%
6/18/20	42 states and NYC	101,056	54	0.05%	0.05%
6/11/20	40 states and NYC	89,866	48	0.05%	0.05%
6/4/20	40 states and NYC	91,241	46	0.05%	0.06%
5/28/20	39 states and NYC	82,298	30	0.04%	0.05%
5/21/20	38 states and NYC	71,689	28	0.04%	0.06%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

<sup>^</sup> Number of child deaths / number of child cases

# Appendix Table 3A: Child COVID-19 Case Data Available on 12/3/20\*



Click location name to view original data source

Location	Age range	Child population, 2019	Cumulative child cases	Percent children of total cases	Cumulative total cases (all ages)	Cases per 100,000 children
<a href="#">Alabama<sup>^</sup></a>	0-17	1,088,668	23,065	10.8%	213,172	2118.7
<a href="#">Alaska</a>	0-19	196,852	5,764	17.7%	32,531	2928.1
<a href="#">Arizona</a>	0-19	1,838,598	51,749	15.2%	340,979	2814.6
<a href="#">Arkansas</a>	0-17	700,155	21,501	13.3%	161,521	3070.9
<a href="#">California</a>	0-17	8,894,641	139,427	11.2%	1,245,948	1567.5
<a href="#">Colorado</a>	0-19	1,407,971	35,669	14.8%	241,172	2533.4
<a href="#">Connecticut</a>	0-19	735,193	15,715	12.9%	121,426	2137.5
<a href="#">Delaware</a>	0-17	203,572	3,996	10.9%	36,698	1962.9
<a href="#">District of Columbia</a>	0-19	149,337	2,158	9.9%	21,842	1445.1
<a href="#">Florida</a>	0-14	3,512,139	65,168	6.5%	1,001,800	1855.5
<a href="#">Georgia</a>	0-17	2,503,881	41,031	9.6%	428,980	1638.7
<a href="#">Guam</a>	0-19	57,727	1,054	15.6%	6,768	1825.8
<a href="#">Hawaii</a>	0-17	299,868	2,148	12.1%	17,713	716.3
<a href="#">Idaho</a>	0-17	448,201	11,253	10.7%	104,734	2510.7
<a href="#">Illinois</a>	0-19	3,145,309	106,480	14.2%	748,603	3385.4
<a href="#">Indiana</a>	0-19	1,755,070	48,083	13.7%	350,970	2739.7
<a href="#">Iowa</a>	0-17	726,841	23,679	10.0%	236,794	3257.9
<a href="#">Kansas</a>	0-17	700,250	16,691	10.3%	162,061	2383.6
<a href="#">Kentucky</a>	0-19	1,118,934	27,300	14.6%	186,765	2439.8
<a href="#">Louisiana</a>	0-17	1,087,630	25,920	11.4%	227,780	2383.2
<a href="#">Maine</a>	0-19	281,158	1,641	13.1%	12,554	583.7
<a href="#">Maryland</a>	0-19	1,489,721	26,562	13.1%	203,355	1783.0
<a href="#">Massachusetts<sup>#</sup></a>	0-19	1,558,231	21,646	10.1%	214,662	1389.1
<a href="#">Michigan</a>	0-19	2,407,690	48,621	12.1%	402,886	2019.4
<a href="#">Minnesota</a>	0-19	1,445,346	52,251	16.0%	327,477	3615.1
<a href="#">Mississippi</a>	0-17	698,583	19,038	12.0%	159,036	2725.2
<a href="#">Missouri<sup>†</sup></a>	0-17	1,370,585	30,964	9.9%	313,421	2259.2

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change; ^ As of 8/13, AL changed definition of child case from 0-24 to 0-17 years

# As of 9/3, MA only reported age distribution of cases added in last two weeks but not for total cases to date; 12/3 totals calculated using MA Dept. of Public Health Weekly Report published 12/3 (data from 11/15-11/28) and 11/12 version of this report

† As of 10/1, MO changed definition of child case from 0-19 to 0-17 years



# Appendix Table 3B: Child COVID-19 Case Data Available on 12/3/20\*

Click location name to view original data source

Location	Age range	Child population, 2019	Cumulative child cases	Percent children of total cases	Cumulative total cases (all ages)	Cases per 100,000 children
<a href="#">Montana</a>	0-19	254,416	10,067	15.6%	64,340	3956.9
<a href="#">Nebraska</a>	0-19	760,272	18,289	13.8%	132,530	2405.6
<a href="#">Nevada</a>	0-19	688,997	20,274	12.9%	156,996	2942.5
<a href="#">New Hampshire</a>	0-19	291,038	3,066	13.7%	22,332	1053.5
<a href="#">New Jersey</a>	0-17	1,938,578	24,745	7.1%	346,206	1276.5
<a href="#">New Mexico</a>	0-19	531,712	17,242	17.1%	100,963	3242.7
<a href="#">North Carolina</a>	0-17	2,300,715	39,713	10.7%	371,594	1726.1
<a href="#">North Dakota</a>	0-19	200,777	13,730	17.1%	80,135	6838.4
<a href="#">NYC</a>	0-17	1,726,900	16,064	5.4%	296,997	930.2
<a href="#">Ohio</a>	0-19	2,886,873	52,936	12.1%	437,928	1833.7
<a href="#">Oklahoma</a>	0-17	952,238	24,419	12.1%	202,341	2564.4
<a href="#">Oregon</a>	0-19	965,480	12,105	15.5%	78,160	1253.8
<a href="#">Pennsylvania</a>	0-19	2,801,187	44,353	11.8%	375,431	1583.4
<a href="#">Puerto Rico</a>	0-19	594,011	7,212	13.8%	52,349	1214.1
<a href="#">Rhode Island</a>	0-18	220,525	6,155	11.4%	54,126	2791.1
<a href="#">South Carolina</a>	0-20	1,314,988	39,971	18.1%	220,835	3039.7
<a href="#">South Dakota</a>	0-19	240,567	11,791	14.3%	82,203	4901.3
<a href="#">Tennessee</a>	0-20	1,762,659	69,934	18.2%	384,285	3967.5
<a href="#">Texas^</a>	0-19	8,210,585	4,306	6.9%	62,593	--
<a href="#">Utah</a>	0-14	774,764	18,333	9.1%	202,220	2366.3
<a href="#">Vermont</a>	0-19	134,415	687	14.8%	4,642	511.1
<a href="#">Virginia</a>	0-19	2,087,426	34,099	13.9%	244,503	1633.5
<a href="#">Washington</a>	0-19	1,840,306	25,705	15.1%	170,342	1396.8
<a href="#">West Virginia</a>	0-19	402,473	6,945	13.6%	51,025	1725.5
<a href="#">Wisconsin</a>	0-19	1,422,095	63,567	15.1%	420,930	4470.0
<a href="#">Wyoming</a>	0-18	140,694	6,622	22.1%	29,966	4707.0

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change  
^ Texas reported age for only 5% of total confirmed cases; Cases per 100,000 children omitted for Texas; Data for Texas in this report is limited to the case count for which age is provided

# Appendix Table 4: Child Testing Data Available on 12/3/20\*

## COVID-19 Testing and Children

Location	Age range	Cumulative total tests (all ages)	Cumulative child tests	Percent children of total tests	Positive rate^
<a href="#">Arizona</a>	0-19	2,288,204	377,418	16.5%	13.7%
<a href="#">Illinois</a>	0-19	10,699,586	1,315,819	12.3%	8.1%
<a href="#">Indiana</a>	0-19	4,342,486	772,963	17.8%	6.2%
<a href="#">Iowa</a>	0-17	1,803,287	108,197	6.0%	21.9%
<a href="#">Minnesota</a>	0-19	4,302,274	576,507	13.4%	9.1%
<a href="#">Nevada</a>	0-19	991,427	115,453	11.6%	17.6%
<a href="#">Rhode Island</a>	0-18	490,659	68,725	14.0%	9.0%
<a href="#">Tennessee</a>	0-20	4,574,275	734,255	16.1%	9.5%
<a href="#">West Virginia</a>	0-19	1,163,674	144,412	12.4%	4.8%
<a href="#">Wyoming</a>	0-18	419,587	54,127	12.9%	12.2%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

^ Positive rate = number of child cases / number of child tests

# Appendix Table 5: Child Hospitalization Data Available on 12/3/20\*

## COVID-19-Associated Hospitalizations and Children

Location	Age range	Cumulative child hospitalizations	Cumulative total hospitalizations (all ages)	Percent children of total hospitalizations	Hospitalization rate^
<a href="#">Alaska</a>	0-19	15	753	2.0%	0.3%
<a href="#">Arizona<sup>#</sup></a>	0-19	673	26,312	2.6%	1.3%
<a href="#">Colorado</a>	0-19	412	14,363	2.9%	1.2%
<a href="#">Florida</a>	0-14	705	55,567	1.3%	1.1%
<a href="#">Georgia</a>	0-17	594	35,326	1.7%	1.4%
<a href="#">Hawaii</a>	0-17	16	1,127	1.4%	0.7%
<a href="#">Idaho</a>	0-17	85	4,200	2.0%	0.8%
<a href="#">Indiana</a>	0-19	366	26,854	1.4%	0.8%
<a href="#">Kansas</a>	0-17	89	5,290	1.7%	0.5%
<a href="#">Minnesota</a>	0-19	523	17,623	3.0%	1.0%
<a href="#">Mississippi</a>	0-17	122	7,486	1.6%	0.6%
<a href="#">Nebraska</a>	0-19	75	4,425	1.7%	0.4%
<a href="#">New Hampshire</a>	0-19	9	842	1.1%	0.3%
<a href="#">New Jersey</a>	0-17	502	41,745	1.2%	2.0%
<a href="#">NYC</a>	0-17	785	61,802	1.3%	4.9%
<a href="#">Ohio</a>	0-19	583	27,885	2.1%	1.1%
<a href="#">Oregon</a>	0-19	125	4,745	2.6%	1.0%
<a href="#">Rhode Island</a>	0-18	93	4,502	2.1%	1.5%
<a href="#">South Carolina</a>	0-20	228	12,023	1.9%	0.6%
<a href="#">South Dakota</a>	0-19	108	4,626	2.3%	0.9%
<a href="#">Tennessee</a>	0-20	323	12,310	2.6%	0.5%
<a href="#">Utah</a>	0-14	157	8,423	1.9%	0.9%
<a href="#">Virginia</a>	0-19	314	15,014	2.1%	0.9%
<a href="#">Washington</a>	0-19	183	10,954	1.7%	0.7%
<a href="#">Wisconsin</a>	0-19	429	17,569	2.4%	0.7%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change

^ Hospitalization rate = number of child hospitalizations / number of child cases

# As of 10/8, AZ revised hospitalization data, resulting in a downward revision of cumulative child hospitalizations

# Appendix Table 6A: Child Mortality Data Available on 12/3/20\*

## COVID-19-Associated Deaths and Children

Location	Age range	Cumulative child deaths	Cumulative total deaths (all ages)	Percent children of total deaths	Percent of child cases resulting in death^
<a href="#">Alabama</a> <sup>#</sup>	0-17	4	3,711	0.11%	0.02%
<a href="#">Alaska</a>	0-19	0	121	0.00%	0.00%
<a href="#">Arizona</a>	0-19	10	6,739	0.15%	0.02%
<a href="#">Arkansas</a>	0-17	0	2,522	0.00%	0.00%
<a href="#">California</a>	0-17	2	19,368	0.01%	0.00%
<a href="#">Colorado</a>	0-19	6	3,193	0.19%	0.02%
<a href="#">Connecticut</a>	0-19	2	5,091	0.04%	0.01%
<a href="#">Delaware</a>	0-17	0	779	0.00%	0.00%
<a href="#">District of Columbia</a>	0-19	0	690	0.00%	0.00%
<a href="#">Florida</a>	0-14	5	18,776	0.03%	0.01%
<a href="#">Georgia</a>	0-17	7	8,830	0.08%	0.02%
<a href="#">Hawaii</a>	0-17	0	242	0.00%	0.00%
<a href="#">Idaho</a>	0-17	0	991	0.00%	0.00%
<a href="#">Illinois</a>	0-19	8	12,639	0.06%	0.01%
<a href="#">Indiana</a>	0-19	6	5,688	0.10%	0.01%
<a href="#">Iowa</a>	0-17	1	2,519	0.04%	0.00%
<a href="#">Kansas</a>	0-17	0	1,679	0.00%	0.00%
<a href="#">Kentucky</a>	0-19	2	1,980	0.10%	0.01%
<a href="#">Louisiana</a>	0-17	6	6,231	0.10%	0.02%
<a href="#">Maine</a>	0-19	0	220	0.00%	0.00%
<a href="#">Maryland</a>	0-19	4	4,715	0.08%	0.02%
<a href="#">Massachusetts</a> <sup>^</sup>	0-19	0	10,676	0.00%	0.00%
<a href="#">Minnesota</a>	0-19	1	3,692	0.03%	0.00%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change; ^ Number of child deaths / number of child cases;

# As of 8/13, AL changed definition of child case, resulting in a downward revision of cumulative child deaths

^ As of 9/3, MA only reported age distribution of cases added in last two weeks but not for total cases to date; 12/3 totals calculated using MA Dept. of Public Health Weekly Report published 12/3 (data from 11/15-11/28) and 11/12 version of this report

# Appendix Table 6B: Child Mortality Data Available on 12/3/20\*

## COVID-19-Associated Deaths and Children

Location	Age range	Cumulative child deaths	Cumulative total deaths (all ages)	Percent children of total deaths	Percent of child cases resulting in death^
<a href="#">Mississippi</a>	0-17	2	3,879	0.05%	0.01%
<a href="#">Missouri</a>	0-17	2	4,122	0.05%	0.01%
<a href="#">Nebraska</a>	0-19	1	1,128	0.09%	0.01%
<a href="#">Nevada</a>	0-19	5	2,201	0.23%	0.02%
<a href="#">New Hampshire</a>	0-19	0	537	0.00%	0.00%
<a href="#">New Jersey</a>	0-17	3	15,309	0.02%	0.01%
<a href="#">North Carolina</a>	0-17	1	5,366	0.02%	0.00%
<a href="#">North Dakota</a>	0-19	1	977	0.10%	0.01%
<a href="#">NYC</a>	0-17	18	24,297	0.07%	0.11%
<a href="#">Ohio</a>	0-19	4	6,671	0.06%	0.01%
<a href="#">Oklahoma</a>	0-17	1	1,812	0.06%	0.00%
<a href="#">Oregon</a>	0-19	0	953	0.00%	0.00%
<a href="#">Pennsylvania</a>	0-19	5	10,757	0.05%	0.01%
<a href="#">South Dakota</a>	0-19	0	995	0.00%	0.00%
<a href="#">Tennessee</a>	0-20	6	4,688	0.13%	0.01%
<a href="#">Texas</a> <sup>#</sup>	0-19	34	21,207	0.16%	--
<a href="#">Vermont</a>	0-19	0	75	0.00%	0.00%
<a href="#">Virginia</a>	0-19	1	4,147	0.02%	0.00%
<a href="#">Washington</a>	0-19	6	2,850	0.21%	0.02%
<a href="#">Wisconsin</a>	0-19	0	3,703	0.00%	0.00%
<a href="#">Wyoming</a>	0-18	0	230	0.00%	0.00%

\* Note: Data represent cumulative counts since states began reporting; All data reported by state/local health departments are preliminary and subject to change; ^ Number of child deaths / number of child cases;  
<sup>#</sup> As of 7/30, Texas provided age distribution for all COVID-19-associated deaths; Texas reported age for only 5% of total confirmed cases; Percent of child cases resulting in death omitted for Texas;  
 Data for Texas in this report is limited to the case count for which age is provided

# Frequently Asked Questions

**Q:** *Why are the AAP and CHA collecting this data?*

**A:** Our goal is to provide a weekly snapshot of how COVID-19 is affecting children in the United States. CDC provides a national number of cases by age on its [COVID-19 data tracker](#), but there are no geographic indicators provided and the age data are not released on a regular schedule. Our data collection method allows for tracking the number of child cases weekly, as well as providing publicly reported case numbers for children at the state level.

**Q:** *The age ranges for children in the report are broad – why were these age ranges chosen and are data available for more specific age ranges of children?*

**A:** Each state makes different decisions about how to report the age distribution of COVID-19 cases, and as a result the age range for reported cases varies by state. For the purposes of this report it is not possible to standardize more detailed age ranges for children based on what is publicly available from the states at this time. Please refer to specific state health department websites of interest to see if the state provides more granular detail of cases by age (see report Appendix for links to all state data sources).

**Q:** *What is the definition of a COVID-19 case?*

**A:** COVID-19 cases are defined as persons who have been identified as a confirmed (via a diagnostic molecular test) or probable (via a clinical diagnosis) case. COVID-19 cases are reported by the states, [following reporting standards established by the CDC](#). For more information on the definitions of confirmed and probable cases, see the following resources: [COVID Tracking Project: Definitions](#); [CDC, COVID-19 Data and Surveillance](#).

**Q:** *Why does the report not provide the percent of child cases that were symptomatic vs. asymptomatic or that had underlying conditions?*

**A:** For the report, we are limited to the data that states are making publicly available. At this time, states are not providing data related to symptoms or underlying conditions and age. CDC provides some information on COVID-19 hospitalizations by age on the [CDC COVID-NET dashboard](#).

**Q:** *For the child population for each state, does that match the listed age range for the state's child COVID-19 data?*

**A:** Yes, the report uses child population numbers that match on directly with the listed age range for children provided by each state. State population numbers were obtained from the [US Census Bureau](#).

**Q:** *The report provides “cumulative totals” for cases, tests, hospitalizations, and deaths for available states. Are those the total numbers since the states began reporting, or since the AAP and CHA started collecting this data?*

**A:** All “cumulative total” data represent cumulative counts since states began reporting COVID-19 data.

**Q:** *How can I learn more about COVID-19 cases in my state?*

**A:** Links to all state data sources are provided in the Appendix.

**Q:** *Are these data final?*

**A:** No. All data reported by state/local health departments included in this report are preliminary and subject to change and revision as health departments gather more information.

**Q:** *Is this the most recent report available? When will a new report be released?*

**A:** The most recent version of the report is available for [download on the AAP website](#). New reports are made available for download on a weekly basis.

# Additional Resources

- For more information about COVID-19 data in your area, we encourage you to reach out to your state and local health department officials
- Visit the [AAP Critical Updates](#) site for daily updates, resources, and guidance on COVID-19 and pediatrics
- For COVID-19 articles for parents in English and Spanish, visit [HealthyChildren.org](#), the parenting website of the AAP

# Contact Information

This a joint report from the American Academy of Pediatrics and the Children's Hospital Association

- For technical questions, please contact the authors at:

**Bill Cull, PhD**

Director, Health Services Research

American Academy of Pediatrics

[wcull@aap.org](mailto:wcull@aap.org)

**Mitch Harris, PhD**

Director of Research

Children's Hospital Association

[Mitch.Harris@childrenshospitals.org](mailto:Mitch.Harris@childrenshospitals.org)

- For media inquiries, please contact:

**Lisa Black**

Media Relations

American Academy of Pediatrics

[lblack@aap.org](mailto:lblack@aap.org)

**Gillian Ray**

External Relations

Children's Hospital Association

[Gillian.Ray@childrenshospitals.org](mailto:Gillian.Ray@childrenshospitals.org)

## Acknowledgements

Special thanks to the following individuals for their contributions to this report: Alex Rothenburger, MPA (Children's Hospital Association), Vinson Do (Children's Hospital Association), Lynn Olson, PhD (American Academy of Pediatrics), Blake Sisk, PhD (American Academy of Pediatrics), Mary Pat Frintner, MSPH (American Academy of Pediatrics), Liz Gottschlich, MA (American Academy of Pediatrics), Kate Kornfeind, MPH (American Academy of Pediatrics), and Chloe Somberg (American Academy of Pediatrics)