

**American Academy of Pediatrics Julius B Richmond Center of Excellence**

**Compiled Measurement Core Survey Items Reference List**

2005-2006 National Health and Nutrition Examination Survey. Centers for Disease Control and Prevention Web site. [http://www.cdc.gov/nchs/nhanes/nhanes2005-2006/nhanes05\\_06.htm](http://www.cdc.gov/nchs/nhanes/nhanes2005-2006/nhanes05_06.htm). Accessed February 1, 2012.

2010 National Health Interview Survey. Centers for Disease Control and Prevention Web site. [http://www.cdc.gov/nchs/nhis/quest\\_data\\_related\\_1997\\_forward.htm](http://www.cdc.gov/nchs/nhis/quest_data_related_1997_forward.htm). Accessed February 1, 2012.

Groner JA, Huang H, Nicholson L, Kuck J, Boettner B, Bauer JA. Secondhand smoke exposure and hair nicotine in children: age dependent differences, *Nicotine & Tobacco Research* (2011); doi: 10.1093/ntr/ntr269

Halterman JS, Borrelli B, Tremblay P, et al. Screening for environmental tobacco smoke exposure among inner-city children with asthma. *Pediatrics*. 2008;122(6):1277-1283.

National Social Climate Survey of Tobacco Control. The Social Climate of Tobacco Control Web site. <http://www.socialclimate.org/>. Accessed February 1, 2012.

Tanski, S. "Kick Butts Kit" Enrollment Questionnaire.

Tanski, S. Messages Study.

Tobacco Questions for Surveys: A Subset of Key Questions from the Global Adult Tobacco Survey (GATS). World Health Organization Web site. <http://www.who.int/tobacco/surveillance/tqs/en/index.html>. Accessed February 1, 2012.

Wipfli H, Avila-Tang E, Navas-Acien A, et al. Secondhand Smoke Exposure Among Women and Children: Evidence From 31 Countries. *American Journal of Public Health*. 2008/04/01 2008;98(4):672-679.